

DIGITAL INDICATOR

Description:

The BYTRONICS Digital Weigh Scale Indicator combines durability and precision with an IP68 rating, ensuring it's mist-proof, waterproof, and dustproof. It features an extra-large LCD display with a cool white LED backlight, offering clear readability and a high display resolution of up to 1/15,000. With multiple functions such as tare, pre-tare, and auto zero tracking, it provides versatility for various weighing applications. The indicator also includes an RS-232 interface, low power indication, and optional wireless functionality for seamless operation. Perfect for industrial, commercial, and animal weighing needs, BYTRONICS delivers reliability in any environment.



Features

- Easy to read LCD 1" high display, with accuracy.
- Simple auto hold function after weighing measurement.
- Tare function to subtract the weight of diaper, blanket, etc.
- Auto power off design and low battery warning indicator.
- Easy calibration.
- Easy service and maintenance
- 27-key alphanumeric and function keyboard
- Two serial ports with printing and networking
- Analog output for PLC interface (optional)
- (Flash) memory for transaction records
- Real-time clock
- Weighing and counting operating modes
- OIML approved



2. BWS-EXCELL GW 68 INDICATOR



Features

- IP 68: mist-proof, waterproof and dustproof
- Extra-large and wide LCD display (175 x 70mm) 6 digits with 55mm height
- LCD display with COOL WHITE LED backlight
- RS-232+RTC(Real Time Clock) interface
- Up to 1/15,000 display resolution
- Unit switch key for Kilogram (kg) and pound (lb), etc.
- Full range tare, Pre-tare, Auto zero tracking, Sampling counting, Gross/Net Indication
- Hold function, Check mode Lo / Hi / OK, Auto average unit weight, Animal scale function
- Low power indication and auto power off
- The Sleeve connecting stand comes standard; the U shape stand is optional